

# Multiport special caps Caps for culture media bottle



# **Multiport Special Caps LBSC**

GL25, GL32 and GL45 special caps for media bottles, with 2, 3, 4 or 5 inlet/outlet ports. Stainless steel barbed connectors for 1/32", 1/16" and 1/8" tubing.

Our Multiport special caps are suitable for many different applications in the Pharmaceutical and Life Science field. In fact, they are compatible with any perfusion circuit for cell culture, thus allowing easy sampling of medium or addition of substances, and they are completely autoclavable.

Our caps maintain a sterile environment, and can resist up to 4 bar pressure.

# •SKE GL Special caps Caps for culture media bottle



# Main features

- Compatible with InFlow perfusion bioreactor
- Compatible with almost any perfusion circuit for cell culture
- Easy sampling of medium
- Autoclavable
- Completely customizable
- Comply with GLP / GMP

### **Applications**

- Connection to perfusion circuit
- Addition of substances / medium sampling
- On-line monitoring of pH and/or O<sub>2</sub> concentration

# •SKE GL Special caps Caps for culture media bottle

### pH sensor GL45 cap

pH sensor GL45 cap with a shield to host an electrolytic pH sensor. Equipped with 5 inlet/outlet ports with barbed connectors. Ideal as a pH-monitored reservoir for your cell culture applications. Provided with an autoclavable sensor, with a pH range of 0-14. Compatible with your own pH meter, or it could be provided with a pH meter.

Fully customizable according to customer specifications.



#### Main features

- Compatible with almost any perfusion circuit for cell culture
- Compatible with your own pH meter
- Plug & Play with PG13,5 threaded sensor
- On-line monitoring of pH
- Autoclavable
- Easy to use
- Completely customizable
- Comply with GLP / GMP

#### **Applications**

- Connection to perfusion circuit
- Addition of substances / medium sampling
- Ideal as culture media monitored reservoir

# •SKE GL Special caps Caps for culture media bottle

# **TECHNICAL DATA**

Materials	PTFE (insert) Stainless Steel (connectors)
Dimension range	GL25, GL32, GL45
Number of ports	2 - 4 (5 only for GL45 cap)
Connector size	1/32" or 1/16"

# **ORDERING DETAILS**

Product code	CC100
Standard options:	CC100-GL25-2P CC100-GL25-3P CC100-GL25-4P
	CC100-GL32-2P CC100-GL32-3P CC100-GL32-4P
	CC100-GL45-2P CC100-GL45-3P CC100-GL45-4P CC100-GL45-5P CC100-GL45-PH

### SKE Research Equipment®

C/O Leonardino Srl via Ghisalba 13 20021 Bollate (MI) - Italy

tel: +39 02 4953 1694 <u>www.ske.it</u> Sales and information request: <u>sales@ske.it</u>